

# FCL Cargo Shipping Ocean Container Sizes

## 20' High Cube Dry Containers

Interior Dimensions		Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	5.919 m			1,900 kg	24,800 kg	33.0 cbm.	
W:	2.340 m	7'8 1/16"	W: 2.286 m	7'6"	4,189 lbs	54,673 lbs	1,179 cu.ft.
H:	2.286 m	7'6"	H: 2.251 m	7'4 9/16"			

## 20' Standard Dry Container

Interior Dimensions		Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	5.440 m	17'10 3/16"			2,750 kg	24,250 kg	27.9 cbm.
W:	2.294 m	7'6 1/4"	W: 2.286 m	7'6"	6,062 lbs	53,460 lbs	986 cu.ft.
H:	2.237 m	7'4 1/16"	H: 2.238 m	7'4 1/16"			

## 20' Open Top Container

Interior Dimensions		Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	5.919 m	19'5"	L: 5.425 m	17'9 9/16"	2,177 kg	21,823 kg	32.0 cbm.
W:	2.340 m	7'8 1/16"	W: 2.223 m	7'3 1/2"	4,799 lbs	48,110 lbs	1,143 cu.ft.
H:	2.286 m	7'6"					

## 20' Flat Rack Container

Interior Dimensions		Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	5.935 m	19'5 5/8"			2,560 kg	21,440 kg	
W:	2.398 m	7'10 3/8"			5,643 lbs	47,265 lbs	
H:	2.327 m	7'7 9/16"					

## 40' High Cube Dry Containers

Interior Dimensions		Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	12.030 m	39'5 9/16"			3,930 kg	28,570 kg	76.0 cbm.
W:	2.350 m	7'8 1/2"	W: 2.340 m	7'8 1/16"	8,663 lbs	62,984 lbs	2,714 cu.ft.
H:	2.690 m	8'9 7/8"	H: 2.579 m	8'5 1/2"			

## 40' Standard Dry Container

Interior Dimensions			Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	12.035 m	39'5 13/16"			3,700 kg	28,800 kg	67.0 cbm.	
W:	2.350 m	7'8 1/2"	W:	2.339 m	7'8 1/16"	8,156 lbs	63,491 lbs	2,393 cu.ft.
H:	2.393 m	7'10 3/16"	H:	2.274 m	7'5 1/2"			

## 40' Open Top Container

Interior Dimensions			Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	12.043 m	39'6"	L:	11.858 m	38"	4,300 kg	28,280 kg	64.0 cbm.
W:	2.338 m	7'8"	W:	2.162 m	7'1"	9,480 lbs	62,344 lbs	2,260 cu.ft.
H:	2.272 m	7'5 1/4"						

## 40 High-Cube Reefer Container

Interior Dimensions			Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	11.577 m	37'11 3/4"			4,150 kg	28,350 kg	67.0 cbm.	
W:	2.294 m	7'6 1/4"	W:	2.290 m	7'6 1/8"	9,148 lbs	62,499 lbs	2,366 cu.ft.
H:	2.509 m	8'2 3/4"	H:	2.535 m	8'3 3/4"			

## 40' Standard Reefer Container

Interior Dimensions			Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	11.577 m	37'11 3/4"			3,950 kg	7,910 kg	58.7 cbm.	
W:	2.294 m	7'6 1/4"	W:	2.286 m	7'6"	8,708 lbs	61,529 lbs	2,073 cu.ft.
H:	2.210 m	7'3"	H:	2.238 m	7'4 1/16"			

## 40' Flat Rack Container

Interior Dimensions			Door Opening		Tare Weight	Payload	Cubic Capacity
L:	12.080 m	39'7 9/16"			5,480 kg	25,000 kg	
W:	2.420 m	7'11 1/4"			12,080 lbs	55,113 lbs	
H:	2.103 m	6'10 13/16"					

## 45' High Cube Dry Containers

Interior Dimensions			Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	13.556 m	44'5 11/16"			4,590 kg	27,910 kg	86.0 cbm	
W:	2.352 m	7'8 9/16"	W:	2.340 m	7'8 11/16"	10,118 lbs	61,529 lbs	3.031 cu. ft.
H:	2.695 m	8'10 1/16"	H:	2.579 m	8'5 1/2"			

## 45 High-Cube Reefer Container

Interior Dimensions			Door Opening		Tare Weight	Payload	Cubic Capacity	
L:	13.102 m	42'11 3/4"			5,200 kg	27,300 kg	75.4 cbm.	
W:	2.286 m	7 6"	W:	2.294 m	7'6 1/4"	11,463 lbs	60,184 lbs	2,663 cu.ft.
H:	2.509 m	8'2 3/4"	H:	2.535 m	8'3 3/4"			

**Note:**

Please contact your Speedy Air Cargo Inc representative for further information on different countries, commodities, other's weight and capacity various restrictions.